

产品编码 : 002.002.0027511
 版本号 : 11
 产品规格 : TP.S512.PB83C<1143712.0022.0044>, 电源输出12V和24V, 恒流: 45V-63V/35W
 打印日期 : 2015-09-15 17:41
 保密等级 : 机密

查找编号	主/替代	物料编号	物料名称	规格型号	数量	单位	位号
8	主	004.001.0001729	PCB板	PCB, TP. S512. PB83C(14251), 2L, 2, 194. 00mm×160. 50mm, FR4(TG130-CTI175), 10Z, Green, OSP, 1. 6mm, P116	1	PCS	PCB
10	主	004.036.0000032	RCA端子	RCA Jack, AV1, H, Orange, CH6. 5, Seal, DIP, AV19-01S-0020, QS	1	PCS	AV1
20	主	004.036.0000417	耳机端子	Earphone Jack, H, Φ3. 5, CH2. 5, Black, DIP, PJ-320A(Φ5. 5mm), JSL	2	PCS	AV2, AV5
30	主	004.036.0000853	CI卡座	CI jack, H=8mm, A01C5A0080L0PZ8-1, CONCRAFT	1	PCS	AV13
40	主	004.003.0000520	陶瓷电容	CAP MC, 50V, 15pF, ±5%, NPO, 0402, SMD, TP	1	PCS	C1
50	主	004.003.0000546	陶瓷电容	CAP MC, 50V, 33pF, ±5%, NPO, 0402, SMD, TP	3	PCS	C5, C6, CV9
60	主	004.003.0000402	陶瓷电容	CAP MC, 16V, 1uF, ±20%, X5R, 0402, SMD, TP	5	PCS	CA8, CA23, CA25, CA31, CD14
70	主	004.003.0000002	陶瓷电容	CAP MC, 10V, 4. 7uF, ±10%, X5R, 0603, SMD, TP	1	PCS	C27
80	主	004.003.0000562	陶瓷电容	CAP MC, 16V, 0. 047uF, ±10%, X7R, 0402, SMD, TP	14	PCS	C28, C29, C32, CI11, CI12, CI13, CI14, CS1, CS5, CS12, CS14, CV1, CV2, CV5
90	主	004.003.0000403	陶瓷电容	CAP MC, 16V, 0. 1uF, ±20%, X5R, 0402, SMD, TP	64	PCS	C30, C36, C38, C40, C42, C44, C46, C48, C50, C51, C52, C54, C55, C56, C57, C58, C60, C66, C67, C68, C70, C71, C72, C73, C74, C75, C76, C77, C79, C81, CA10, CA14, CA18, CA28, CA29, CC7, CD1, CD2, CD6, CD12, CD15, CD17, CD19, CD21, CD22, CD23, CD29, CD47, CD48, CH1, CI1, CM4, CM5, CT13, CT18, CT20, CT21, CT26, CT28, CT34, RI21, RI22, RS11, RS17
100	主	004.003.0000398	陶瓷电容	CAP MC, 16V, 0. 22uF, ±20%, X5R, 0402, SMD, TP	7	PCS	C33, CA11, CA19, CA20, CA30, CI3, CS3
110	主	004.003.0000382	陶瓷电容	CAP MC, 6. 3V, 1uF, ±20%, X5R, 0402, SMD, TP	11	PCS	C34, C35, C37, C53, C62, C63, C65, CD49, CS2, CS4, CT47
120	主	004.003.0000383	陶瓷电容	CAP MC, 6. 3V, 10uF, ±20%, X5R, 0603, SMD, TP	13	PCS	C41, C43, C45, C59, C64, C69, CC6, CD16, CD20, CD24, CD25, CT27, CU1
130	主	004.003.0000386	陶瓷电容	CAP MC, 16V, 10uF, ±20%, X5R, 0805, SMD, TP	5	PCS	CA3, CD5, CD11, CD13, CD36
150	主	004.003.0000503	陶瓷电容	CAP MC, 50V, 1000pF, ±10%, X7R, 0402, SMD, TP	11	PCS	CA9, CA32, C15, CK1, CK7, CK8, CK9, CK10, CB103, CB110, CB806
160	主	004.003.0000363	陶瓷电容	CAP MC, 25V, 1uF, ±10%, X5R, 0603, SMD, TP	4	PCS	CA12, CA16, CA21, CA26
170	主	004.003.0000550	陶瓷电容	CAP MC, 16V, 0. 033uF, ±10%, X7R, 0402, SMD, TP	2	PCS	CA15, CA24
180	主	004.003.0000530	陶瓷电容	CAP MC, 50V, 22pF, ±5%, NPO, 0402, SMD, TP	8	PCS	CH2, CH3, CH8, CH9, CH10, CH11, CV3, CV4
190	主	004.003.0000548	陶瓷电容	CAP MC, 50V, 330pF, ±10%, X7R, 0402, SMD, TP	1	PCS	CI2
200	主	004.003.0000533	陶瓷电容	CAP MC, 50V, 220pF, ±10%, X7R, 0402, SMD, TP	2	PCS	CI4, CV8
230	主	004.003.0000570	陶瓷电容	CAP MC, 50V, 56pF, ±5%, NPO, 0402, SMD, TP	3	PCS	CI19, CT11, CT17
240	主	004.003.0000543	陶瓷电容	CAP MC, 50V, 27pF, ±5%, NPO, 0402, SMD, TP	1	PCS	CK6
260	主	004.036.0001122	HDMI端子	HDMI Jack, H, SMD, 161031041 (hu11-SPCC), VAST	3	PCS	CN1, CN3, CN4
270	主	004.036.0000281	USB端子	USB Jack, H, Single, flange, DIP, USB-042M-002DP, QS	1	PCS	CN5
280	主	004.036.0000204	DB端子	DB15 Jack, Single, H, Blue, Screw, Lock, CH6. 3, DIP, WLHD-051A, WLCO	1	PCS	CN6
290	主	004.036.0000415	耳机端子	Earphone Jack, H, Φ3. 5, CH7. 0, Black, Seal, DIP, PJ-325, JSL	1	PCS	CN8
300	主	004.036.0000259	SCART端子	SCART Jack, H, R, Seal, DIP, CS-116B-EP, CS	1	PCS	CN12
310	主	004.036.0000465	金针	pin connector, 2×20Pin/without pin6, D, D2. 0mm, L=2. 6mm, DIP, LK	1	PCS	CN14
330	主	004.036.0000671	连接插座	connect jack, 4Pin, D2. 50, D, L=2. 8mm, DIP, LD	1	PCS	CN16
360	主	004.036.0000596	连接插座	connect jack, 14Pin, D2. 0, D, L=2. 8mm, DIP, CNJST	1	PCS	CNK2
370	主	004.003.0000561	陶瓷电容	CAP MC, 50V, 4700pF, ±10%, X7R, 0402, SMD, TP	5	PCS	CI6, CS9, CS10, CB804, CB812

查找编号	主/替代	物料编号	物料名称	规格型号	数量	单位	位号
380	主	004.003.0000501	陶瓷电容	CAP MC, 50V, 100pF, ±5%, NPO, 0402, SMD, TP	2	PCS	CS18, CB101
460	主	004.003.0000088	陶瓷电容	CAP MC, 50V, 39pF, ±5%, NPO, 0402, SMD, TP	2	PCS	CT23, CT24
500	主	004.005.0000196	开关二极管	DIO SW S, 200mA, 75V, MiniMELF, SMD, LL4148, FORMOSA	1	PCS	DH3
510	主	004.005.0000222	TVS管	DIO ESD, 3pF, 300V, 0402, SMD, AVL18S02003, AMOTECH	17	PCS	DI2, DI3, DI4, DI5, DK4, DS1, DS2, DS4, DS5, DS6, DS8, DS9, DV1, DV2, DV5, RS8, RS9
530	主	004.003.0000601	铝电解电容	CAP AL, 16V, 470uF, ±20%, RK, P, 5.0mm, 10×12, DIP, TP, XL	1	PCS	E1
540	主	004.003.0000443	铝电解电容	CAP AL, 16V, 100uF, ±20%, CD263, P, 2.5mm, 5×11, DIP, TP, XF	3	PCS	ED1, ED2, ED3
560	主	004.026.0000026	自恢复保险丝	FUSE PTC, 1.1A, 6V, 1812, SMD, TP, JW	1	PCS	FU1
580	主	004.004.0000325	磁珠	BEAD, 300ohm, 0402, 800mA, SMD, TP, FCM1005KF-301T08	2	PCS	L1, L2
590	主	004.004.0000003	功率电感	Power Inductor, 22uH, ±20%, 1.7A, 0.3×1P, DR5.8×4.5, SMD, SCD54TL-220M, Soldier	4	PCS	LA1, LA2, LA3, LA4
600	主	004.004.0000326	磁珠	BEAD, 120ohm, 0402, 500mA, SMD, TP, FCM1005KF-121T06, Tai-tech	2	PCS	LC1, LT17
610	主	004.004.0000012	功率电感	Power Inductor, 4.7uH, ±20%, 2.8A, 0.35×1P, DR5.8×4.5, SMD, CTD0504-4R7-M, CH	2	PCS	LD1, LD2
670	主	004.002.0000558	厚膜电阻	RES, 1/16W, 0ohm, ±5%, 0402, SMD	27	PCS	DV12, LT11, LT12, R30, R31, R32, R33, RC10, RC11, RC12, RC14, RD1, RD2, RD12, RD44, RD45, RH12, RH27, RH28, RI14, RI15, RI16, RK27, RK30, RT3, RV15, RV17
710	主	004.007.0000061	场效应管	PMOS, -4.22A, -30V, 0.076ohm@ID=-3A@VGS=-4.5V, SOT-23, ME2325, MATSUKI	1	PCS	QM1
720	主	004.006.0000007	通用三极管	Dynatron, NPN, 0.2A, 40V, 60-300, SOT-23, KMBT3904, KEXIN	3	PCS	QM2, QM4, QM8
730	主	004.007.0000060	场效应管	PMOS, -4.3A, -20V, 0.067ohm@ID=-2.8A@VGS=-2.5V, SOT23-3, WPM2341A, WILLSEMI	1	PCS	QM3
740	主	004.002.0000660	厚膜电阻	RES, 1/16W, 330ohm, ±5%, 0402, SMD	5	PCS	R1, RI17, RS3, RS5, RS6
750	主	004.002.0000572	厚膜电阻	RES, 1/16W, 1Kohm, ±5%, 0402, SMD	11	PCS	R9, RA9, RC20, RK19, RK25, RK33, RS25, RT11, RB105, RB805, RB806
760	主	004.002.0000577	厚膜电阻	RES, 1/16W, 10Kohm, ±5%, 0402, SMD	15	PCS	R10, R27, RH3, RH15, RH17, RM3, RM7, RM13, RV7, RV8, RB103, RB109, RB801, RB804, RB808
770	主	004.002.0000667	厚膜电阻	RES, 1/16W, 360ohm, ±1%, 0402, SMD	1	PCS	R12
780	主	004.002.0000556	厚膜电阻	RES, 1/8W, 0ohm, ±5%, 0805, SMD	2	PCS	R12V, RB845
790	主	004.002.0000689	厚膜电阻	RES, 1/16W, 4.7Kohm, ±5%, 0402, SMD	14	PCS	R15, RA1, RA2, RD14, RD15, RF3, RF4, RH9, RK18, RM1, RM5, RM8, RV11, RV12
800	主	004.002.0000721	厚膜电阻	RES, 1/16W, 68ohm, ±5%, 0402, SMD	11	PCS	R25, R26, R28, R29, RH5, RH6, RH14, RH19, RH20, RH21, RH22
810	主	004.002.0000563	厚膜电阻	RES, 1/16W, 10ohm, ±5%, 0402, SMD	3	PCS	RA3, RK24, RS15
820	主	004.002.0000609	厚膜电阻	RES, 1/16W, 180ohm, ±5%, 0402, SMD	2	PCS	RH1, RI1
830	主	004.002.0000568	厚膜电阻	RES, 1/16W, 100ohm, ±5%, 0402, SMD	11	PCS	RA6, RA13, RD6, RF1, RF5, RF6, RI2, RV4, RV6, RV18, RV19
840	主	004.002.0000579	厚膜电阻	RES, 1/16W, 100Kohm, ±5%, 0402, SMD	4	PCS	RA7, RD5, RK34, RM6
850	主	004.002.0000589	厚膜电阻	RES, 1/16W, 12Kohm, ±5%, 0402, SMD	13	PCS	CI15, CI17, CS11, CS13, CV6, CV7, RA11, RI23, RI24, RI25, RI26, RV13, RV20
860	主	004.002.0000626	厚膜电阻	RES, 1/16W, 22ohm, ±5%, 0402, SMD	4	PCS	RC2, RC5, RC8, RK23
870	主	004.002.0000690	厚膜电阻	RES, 1/16W, 47Kohm, ±1%, 0402, SMD	1	PCS	RD3
880	主	004.002.0000688	厚膜电阻	RES, 1/16W, 4.7Kohm, ±1%, 0402, SMD	2	PCS	RD4, RB134
890	主	004.002.0000718	厚膜电阻	RES, 1/16W, 6.2Kohm, ±1%, 0402, SMD	1	PCS	RD7
900	主	004.002.0000717	厚膜电阻	RES, 1/16W, 6.04Kohm, ±1%, 0402, SMD	1	PCS	RD8
910	主	004.002.0000701	厚膜电阻	RES, 1/16W, 510ohm, ±5%, 0402, SMD	2	PCS	RD10, RD11
920	主	004.002.0000684	厚膜电阻	RES, 1/16W, 470ohm, ±1%, 0402, SMD	1	PCS	RD13
930	主	004.002.0000564	厚膜电阻	RES, 1/16W, 100ohm, ±1%, 0402, SMD	1	PCS	RD16
940	主	004.002.0000728	厚膜电阻	RES, 1/16W, 75ohm, ±5%, 0402, SMD	12	PCS	RI4, RI6, RI7, RI8, RS2, RS7, RS14, RS19, RS27, RV2, RV5, RV10

查找编号	主/替代	物料编号	物料名称	规格型号	数量	单位	位号
960	主	004.002.0000736	厚膜电阻	RES, 1/16W, 82ohm, ±5%, 0402, SMD	1	PCS	RH2
970	主	004.002.0000691	厚膜电阻	RES, 1/16W, 47Kohm, ±5%, 0402, SMD	4	PCS	RH4, RH16, RH18, RM2
980	主	004.002.0000662	厚膜电阻	RES, 1/16W, 3.3Kohm, ±5%, 0402, SMD	1	PCS	RH7
990	主	004.002.0000644	厚膜电阻	RES, 1/16W, 27Kohm, ±5%, 0402, SMD	1	PCS	RH11
1000	主	004.002.0000580	厚膜电阻	RES, 1/16W, 1Mohm, ±5%, 0402, SMD	2	PCS	RH23, RH24
1010	主	004.002.0000598	厚膜电阻	RES, 1/16W, 150ohm, ±5%, 0402, SMD	9	PCS	RI3, RI18, RI19, RI20, RS1, RS4, RS12, RS18, RS33
1050	主	004.002.0000628	厚膜电阻	RES, 1/16W, 220ohm, ±5%, 0402, SMD	4	PCS	RK21, RS23, RT12, RT13
1070	主	004.002.0000632	厚膜电阻	RES, 1/16W, 22Kohm, ±5%, 0402, SMD	1	PCS	RS24
1080	主	004.002.0000724	厚膜电阻	RES, 1/16W, 6.8Kohm, ±5%, 0402, SMD	1	PCS	RS28
1110	主	004.002.0000659	厚膜电阻	RES, 1/16W, 330ohm, ±1%, 0402, SMD	3	PCS	RV1, RV3, RV9
1150	主	004.011.0000047	SPI FLASH 芯片	IC SPI FLASH, 64Mb, SOIC8, SMD, GD25Q64BSIG, GigaDevice	1	PCS	U2
1170	主	004.012.0000015	音频功放	IC Audio AMP, Class D, 2×15W@16.0V@8ohm, TSSOP28, SMD, RT9108NBGCP, Richtek	1	PCS	UA1
1190	主	004.010.0000033	DC-DC芯片	IC DCDC, Syn, 3.0A, 18V, 500KHz, TSOT23-6, SMD, SYH113ADC, SILERGY	1	PCS	UD1
1200	主	004.010.0000031	DC-DC芯片	IC DCDC, Syn, 2.0A, 16V, 500KHz, TSOT23-6, SMD, SYH112ADC, Silergy	1	PCS	UD2
1210	主	004.010.0000059	LDO芯片	IC LDO, 1.0A, 3.3V, 12.0V, SOT-223, SMD, LC1117CLTR33, Leadchip	3	PCS	UD3, UD4, UT2
1220	主	004.010.0000060	LDO芯片	IC LDO, 1.0A, ADJ, 12.0V, SOT-223, SMD, LC1117CLTRAD, Leadchip	1	PCS	UD5
1260	主	004.009.0000017	无源标准封装晶体振荡器	SPX0, 24.576MHz, ±30PPM, 20pF, HC-49SMD, SMD, HC-49SMD 24.576MHz, JWT	1	PCS	Y1
1280	主	004.016.0000414	主芯片	IC Main Chip, 9206B, 32bit, Single-Core, LQFP256, SMD, S2-Tek	1	PCS	U1
1300	主	005.002.0000001	胶水	胶水, 0.1g, 硅胶, ZJ	1	PCS	用U1
1310	主	004.040.0000588	散热片	散热片, 铝合金, 28×28×11mm, 本色, THD	1	PCS	HS2
1320	主	004.003.0000524	陶瓷电容	CAP MC, 50V, 1500pF, ±10%, X7R, 0402, SMD, TP	2	PCS	CI22, CI23
1330	主	004.003.0000058	陶瓷电容	CAP MC, 50V, 0.022uF, ±10%, X7R, 0402, SMD, TP	1	PCS	CM3
1340	主	004.003.0000397	陶瓷电容	CAP MC, 16V, 2.2uF, ±20%, X5R, 0603, SMD, TP	1	PCS	C14
1350	主	004.041.0000608	麦拉片间隔柱	麦拉片间隔柱, 尼龙, 7.00×8.35mm, 白色, WQM	3	PCS	GD1, GD2, GD3
1360	主	004.002.0000649	厚膜电阻	RES, 1/16W, 3Kohm, ±5%, 0402, SMD	2	PCS	RB132, RB133
1370	主	004.004.0000311	差模电感	Inductor, DR12×12, 80uH, 0.15×12P, 40.5Ts, 14.5MAX, SYDR1212-L003, DIP, HM	1	PCS	LB801
1380	主	004.002.0000594	厚膜电阻	RES, 1/4W, 15ohm, ±5%, 1206, SMD	2	PCS	RB117, RB118
1390	主	004.002.0000593	厚膜电阻	RES, 1/16W, 13Kohm, ±1%, 0402, SMD	1	PCS	RB803
1400	主	004.005.0000156	整流二极管	DIO SI S, 2A, 1000V, DO-15, DIP, RL207, LRC	4	PCS	DB1, DB2, DB3, DB4
1410	主	004.003.0000135	铝电解电容	CAP AL, 35V, 330uF, ±20%, LD, GF, P, 5.0mm, 10×12.5, DIP, TP, CapXon	2	PCS	EB104, EB105
1420	主	004.005.0000152	整流二极管	DIO SI D1, 10A, 100V, TO-263, SMD, MBRB1010OCT, GOOD-ARK	1	PCS	DB101
1430	主	004.002.0000050	厚膜电阻	RES, 1/4W, 1.2Mohm, ±5%, 1206, SMD	4	PCS	RB1, RB2, RB3, RB4
1440	主	004.002.0000053	厚膜电阻	RES, 1/4W, 68ohm, ±5%, 1206, SMD	6	PCS	RB125, RB126, RB127, RB128, RB129, RB130
1450	主	004.003.0000559	陶瓷电容	CAP MC, 50V, 470pF, ±10%, X7R, 0402, SMD, TP	2	PCS	CB803, CB807
1460	主	004.002.0000212	厚膜电阻	RES, 1/8W, 15ohm, ±5%, 0805, SMD	1	PCS	RB841
1470	主	004.003.0000001	陶瓷电容	CAP CD, 1KV, 1000pF, ±10%, Y5P, 5.0mm, DIP, TP, TDK	1	PCS	CB118
1480	主	004.056.0000008	光耦	Opto-coupler, 130 to 260, D10, SMD, LTV-817S-TA-B, Liteon	1	PCS	PCB101
1490	主	004.004.0000181	共模电感	Common Choke, T14×8×7, 20mH MIN, 0.4×1P, 50Ts, H14.0MAX, SYT14-L003, DIP, XX	1	PCS	LCB2
1500	主	004.002.0000657	厚膜电阻	RES, 1/8W, 33ohm, ±5%, 0805, SMD	1	PCS	RB816
1510	主	004.007.0000006	场效应管	NMOS, 7A, 650V, 1.1ohm@ID=3.5A@VGS=10V, TO-220MF, JCS7N65FB, JLLHW	1	PCS	QB101
1520	主	004.003.0000103	薄膜电容	CAP PE, 400V, 2200pF, ±5%, P, 5.0mm, PC, DIP, TP, EPCOS	1	PCS	CB114

查找编号	主/替代	物料编号	物料名称	规格型号	数量	单位	位号
1530	主	004.002.0000315	金属氧化膜电阻	RES MOF, 2WS, 0.27ohm, ±5%, DIP, TP, Futaba	1	PCS	RB148
1540	主	004.010.0000205	稳压器	IC Regulator, 2.5V, 0.4%, SOT-23, SMD, AZ431AN-ATRE1, BCD	1	PCS	UB102
1550	主	004.004.0000361	磁珠	BEAD, 70ohmMin, $\Phi 3.5 \times 6.0 \times 0.65$, DIP, TP, SA-A048-020-A SRH3560TL-J5C-065, Soldiers	1	PCS	BB101
1560	主	004.003.0000144	铝电解电容	CAP AL, 100V, 47uF, ±20%, LD, EV, P, 5.0mm, 10×12, DIP, TP, Elite	2	PCS	EB801, EB802
1570	主	004.004.0000360	磁珠	BEAD, 30ohmMin, $\Phi 3.5 \times 3.0 \times 0.65$, DIP, TP, SA-A048-021-A SRH3530TL-J5C-065, Soldiers	1	PCS	BB801
1580	主	004.002.0000413	热敏电阻	RES NTC, 2.4W, 5A, 2.5ohm, ±20%, S, 5.0mm, 10mm, DIP, Thinking	1	PCS	NTCB1
1590	主	004.002.0000612	厚膜电阻	RES, 1/16W, 18Kohm, ±1%, 0402, SMD	1	PCS	RB135
1600	主	004.003.0000146	铝电解电容	CAP AL, 400V, 100uF, ±20%, KM, BK, 7.5mm, 16×31.5, DIP, CapXon	1	PCS	EB1
1610	主	004.005.0000161	整流二极管	DIO SI S, 3A, 200V, DO-201AD, DIP, SR320, TSC	2	PCS	DB102, DB103
1620	主	004.002.0000620	厚膜电阻	RES, 1/10W, 2Kohm, ±5%, 0603, SMD	1	PCS	RB131
1630	主	004.010.0000184	PWM控制器	IC PWM Controller, 65KHz, SOT-26, SMD, LD5530 RGL, Leadtrend	1	PCS	UB101
1640	主	004.003.0000138	铝电解电容	CAP AL, 25V, 470uF, ±20%, LD, GK, P, 5.0mm, 10×12.5, DIP, TP, Samxon	1	PCS	EB101
1650	主	004.003.0000040	陶瓷电容	CAP CD, 1KV, 220pF, ±10%, Y5R, P, 5.0mm, DIP, TP, ISND	2	PCS	CB809, CB810
1660	主	004.010.0000181	PWM控制器	IC PWM Controller, 200KHz, MSOP-10, SMD, SN51DPA, ON-Bright	1	PCS	UB802
1670	主	004.002.0000166	厚膜电阻	RES, 1/4W, 300Kohm, ±5%, 1206, SMD	2	PCS	RB101, RB102
1680	主	004.005.0000159	整流二极管	DIO FRD S, 2A, 1000V, DO-15, DIP, FR207-AI, LRC	1	PCS	DB106
1690	主	004.002.0000062	厚膜电阻	RES, 1/4W, 510Kohm, ±1%, 1206, SMD	1	PCS	RB814
1700	主	004.003.0000189	铝电解电容	CAP AL, 50V, 10uF, ±20%, LF, GH, P, 2.5mm, 5×11, DIP, TP, CapXon	1	PCS	EB106
1710	主	004.036.0000603	连接插座	connect jack, 2Pin, D2.0, D, L=3.4mm, DIP, BOOM	2	PCS	CNB2, CNB801
1720	主	004.041.0000599	麦拉片	mylar, SE42B, 121.5×(90+8)×0.43mm, 黑色, ZST	1	PCS	ML1
1730	主	004.003.0000354	X电容	CAP X2, MP, 275VAC, 0.47uF, ±10%, S, 15mm-Mini, PC, DIP, BULK, Carli	1	PCS	CXB1
1740	主	004.043.0000036	十字槽圆头螺丝	十字槽圆头螺丝, PM3.0×8.0×5.5mm-带双垫片, 镀镍, SWRCH18A, 螺丝头直径5.5mm, SJ	1	PCS	MB1
1750	主	004.002.0000065	厚膜电阻	RES, 1/4W, 10ohm, ±5%, 1206, SMD	4	PCS	RB110, RB116, RB810, RB812
1760	主	004.003.0000046	陶瓷电容	CAP MC, 25V, 1uF, ±10%, X7R, 0805, SMD, TP	1	PCS	CB802
1770	主	004.004.0000658	变压器	Transformer, EQ3214, 380uH, 0.35×2P, 30Ts, H16.5MAX, SYEQ3214-T012024A, DIP, SQ	1	PCS	TB101
1780	主	004.003.0000044	陶瓷电容	CAP MC, 50V, 0.1uF, ±10%, X7R, 0603, SMD, TP	2	PCS	CB102, CB109
1790	主	005.002.0000020	导热硅脂	导热硅脂, 0.05g, 其它, 白色, NULL	1	PCS	
1800	主	004.026.0000010	慢断保险丝	FUSE T, P, 3.15A, 250VAC, 8.5×4.0×8mm, DIP, TP, Walter	1	PCS	FB1
1810	主	004.003.0000507	陶瓷电容	CAP MC, 16V, 0.1uF, ±10%, X7R, 0402, SMD, TP	2	PCS	CB805, CB811
1820	主	004.002.0000142	厚膜电阻	RES, 1/4W, 1.6ohm, ±1%, 1206, SMD	4	PCS	RB837, RB838, RB839, RB840
1830	主	004.005.0000177	整流二极管	DIO SI S, 1A, 1000V, DO-214AC, SMD, M7, WEJ	2	PCS	DB104, DB804
1840	主	004.036.0000615	连接插座	connect jack, 3Pin, D2.0, D, L=2.8mm, DIP, CNJST	1	PCS	CNB802
1850	主	004.002.0000076	厚膜电阻	RES, 1/8W, 20ohm, ±5%, 0805, SMD	2	PCS	RB108, RB807
1860	主	004.007.0000039	场效应管	NMOS, 14.7A, 100V, 0.08ohm@ID=8A@VGS=10V, TO-252-3L, ME15N10, MATSUKI	1	PCS	QB801
1870	主	004.036.0000963	连接插座	connect jack, 2Pin, D7.92, L, SNAP, Fool-proofing, nature, L=3.6mm, DIP, CNJST	1	PCS	CNB1
1880	主	005.002.0000011	硅胶	硅胶, 通用, 60, 白色, SLD-8854W	1	PCS	
1890	主	004.003.0000022	陶瓷电容	CAP CD, 1KV, 100pF, ±10%, Y5R, P, 5.0mm, DIP, TP, TDK	1	PCS	CB116
1900	主	004.006.0000003	通用三极管	Dynatron, PNP, 0.2A, 40V, 30-100, SOT-23, MMBT3906-(100-300), BLUE ROCKET	1	PCS	QB102
1910	主	004.002.0000687	厚膜电阻	RES, 1/16W, 470ohm, ±5%, 0402, SMD	1	PCS	RB107

查找编号	主/替代	物料编号	物料名称	规格型号	数量	单位	位号
1920	主	004.040.0000846	散热片	Heat Sink, 6系列铝合金, 40.0×25.0×5.0mm, 黑色, 氧化发黑, FR	1	PCS	HSB1
1930	主	004.003.0000326	Y电容	CAP Y1, CD, 470pF, 400VAC, ±10%, P, 10mm, Y5P, DIP, TP, Walsin	2	PCS	CYB1, CYB2
1940	主	004.004.0000165	共模电感	Common Choke, T10×6×5, 1.5mH MIN, 0.45×1P, 18.5Ts, H15.0MAX, SYT10-L002, DIP, SQ	1	PCS	LCB1
1950	主	004.003.0000329	Y电容	CAP Y1, CD, 1000pF, 400VAC, ±20%, P, 10mm, Y5U, DIP, TP, Walsin	1	PCS	CYB3
1960	主	004.002.0000339	金属氧化膜电阻	RES MOF, 2WS, 100Kohm, ±5%, DIP, TP, Futaba	1	PCS	RB123
1970	主	004.002.0000480	厚膜电阻	RES, 1/8W, 68ohm, ±5%, 0805, SMD	1	PCS	RB106
1980	主	004.002.0000186	厚膜电阻	RES, 1/4W, 0.47ohm, ±1%, 1206, SMD	4	PCS	RB818, RB819, RB820, RB821
1990	主	004.003.0000062	陶瓷电容	CAP MC, 200V, 1000pF, ±10%, NPO, 0805, SMD, TP	2	PCS	CB113, CB117
2000	主	004.005.0000089	肖特基二极管	DIO SBD S, 3A, 100V, DO-201AD, DIP, SB3100, LITE-ON	1	PCS	DB801
2010	主	004.002.0000081	厚膜电阻	RES, 1/4W, 30Kohm, ±5%, 1206, SMD	1	PCS	RB140

总计数： 157

主料数： 157

替代料数： 0