


## 2-2-1. AC INPUT & PFC SECTION



USER TOSHIBA MEZ. N° 1 REV. N° 1.0 COMM. CODE	SCALE 1:1 REV. N° 1.0 COMM. CODE	DATE 2013.03.20 DRAWN LEE.C.H CHECKED KIM.J.D APPROVED KIM.J.R
--	--	---

NOTE  
 1. \* : EYELET  
 2. NC : NO Connection




SPECIFICATION  
39D96W1  
PSLF960401A


USER CODE  
PUBLISHING DATE  
REFORMING DATE

V71A00028400  
2013.04.08

### 2-2-2. 5V & 13V SECTION




### 2-2-1. DC-DC SECTION



PAGE REVISION  
3 of 4

USER	TOSHIBA	DATE	2013.03.20
MODEL NAME	T39 LED-LIPS5	SCALE	1 : 1
REV NUMBER		REVISION	REV1.0
		Checked	LEE, C.H
		Approved	KIM, J.D
		Dimension	CHOI, H.G



NOTE




**SPECIFICATION**  
39D96W1  
PSLF960401A

**USER CODE**  
**PUBLISHING DATE**  
**REFORMING DATE**

V71A00028400  
2013.04.08

## 2-2-2. LED DRIVER SECTION



USER	TOSHIBA	DATE	2013.03.20
REV. NO.	1.1	REV. NO.	1.0
REV. DATE	1.0	REV. DATE	1.0
DESIGNER	LEE.C.H	DESIGNER	LEE.C.H
DRAWER	KIM.J.D	DRAWER	KIM.J.D
CHECKER	KIM.J.R	CHECKER	KIM.J.R

USER	TOSHIBA	DATE	2013.03.20
REV. NO.	1.1	REV. NO.	1.0
REV. DATE	1.0	REV. DATE	1.0
DESIGNER	LEE.C.H	DESIGNER	LEE.C.H
DRAWER	KIM.J.D	DRAWER	KIM.J.D
CHECKER	KIM.J.R	CHECKER	KIM.J.R

### 2-3-1. BLOCK DIAGRAM

