



# Desktop

## DPS-350AB-4 Series

150 (W) x 86 (H) x 140 (L) mm



### FEATURES

- Application: Desktop PC
- 80mm fan
- Comply with Intel ATX12V 2.0
- Remote On/Off
- Low acoustics noise
- High reliability
- Fan speed control
- Short circuit protection
- Over voltage protection
- Over current protection
- Passive PFC @ 230Vac to meet EN61000-3-2

### ENVIRONMENTAL

- Operating ambient temperature: 10~50 °C
- Operating relative humidity: 5~85%
- Storage ambient temperature: -40~70°C
- Storage relative humidity: 5~95%
- Altitude: 10,000~50,000 feet
- MTBF: > 100K hours @ max. load & 25°C ambient conditions.

### ELECTRICAL SPECIFICATIONS

#### INPUT

- Input Range 180~265Vac, single phase
- Frequency 47~63Hz
- Input Current <5A @ 230Vac
- Efficiency >70% @ 230Vac
- EMI/RFI CISPR 22 Class B, FCC

#### OUTPUT

- Maximum Power 350 Watts
- Holdup Time >17mS @ 230Vac
- Rise Time 0.2~20mS
- Leakage Current <1.5mA @ 240Vac
- Overvoltage Protection: +3.3V, +5V, +12V
- Overcurrent Protection: < 240VA
- Short-Circuit Protection: Latch off
- Power Good Signal: TTL compatible on delay 100mS to 500mS, off delay 1mS.



Output	Voltage	Regulation	Minimum Load	Maximum Load	Peak Load	Ripple & Noise Vp-p
V1	+3.3V	±5%	0.5A	17.0A	-	50mV
V2	+5V	±5%	0.3A	22.0A	-	50mV
V3	+12V1	±5%	1.0A	10.0A	16.0A	120mV
V4	+12V2	±5%	1.0A	15.0A	18.0A	120mV
V5	-12V	±10%	0.0A	0.3A	-	120mV
V6	+5Vsb	±5%	0.0A	2.0A	2.5A	50mV

1. Total continue power output: 350W
2. The combined power on +3.3V & +5V: 130W max
3. The combined power on +3.3V, +5V, +12V1 & +12V2: 300W max

All specifications are subject to change without prior notice.

**DELTA ELECTRONICS, INC.**  
 3, TUNG YUAN ROAD, CHUNGLI INDUSTRIAL ZONE  
 TAOYUAN SHIEH, TAIWAN, R.O.C.  
 TEL: 886-3-4526107  
 FAX: 886-3-4527314  
 mail: powersales@delta.com.tw

**DELTA PRODUCTS CORPORATION**  
 4405 CUSHING PARKWAY  
 FREMONT, CA 94538, U.S.A.  
 TEL: 1-510-668-5100  
 FAX: 1-510-668-0680

**DELTA ELECTRONICS(JAPAN) INC.**  
 DELTA SHIBADAIMON BLDG.  
 2-1-14 SHIBADAIMON, MINATO-KU,  
 TOKYO, 105-0012, JAPAN  
 TEL: 81-3-5733-1111  
 FAX: 81-3-5733-1211

**DELTA ELECTRONICS, EUROPE LTD.**  
 2 YOUNG PLACE  
 KELVIN INDUSTRIAL ESTATE  
 EAST KILBROIDE, GLASGOW G75 0TD,  
 U.K.  
 TEL: 44-1355-588888  
 FAX: 44-1355-588889